

Subscribe (Full Service) Register (Limited Service, Free) Login

The ACM Digital Library Search: O The Guide

THE ACM DIGITAL LIBRARY

Feedback

(random	and num	ber and	matrix	
and "mul		ırsive")		Found
Terms us			127.1	22 of
		· matrix	muitipi	245,317
recursiv	<u>e</u>			

Sort		Save Refine	
results	relevance	results	these
by Display results		to a	results
	expanded form	<u>Binder</u>	with
	<u> </u>		<u>Advanced</u>
		☐ Open results	<u>Search</u>
			Try this
			search
		in a new	in The
		window	ACM
			<u>Guide</u>

Results 1 - 20 of 22 Result page: 1 next

>>

Getting rid of correlations among pseudorandom numbers: discarding versus



tempering

Stefan Wegenkittl, Makoto Matsumoto

July ACM Transactions on Modeling and Computer Simulation (TOMACS),

1999 Volume 9 Issue 3

Publisher: ACM

Full text available: pdf(134.11 Additional Information: full citation, abstract, references, cited by, KB)

index terms

Bibliometrics: Downloads (6 Weeks): 2, Downloads (12 Months): 27, Citation Count: 2

We consider the impact of discarding and tempering on modern huge period high speed linear generators, and illustrate how a simple strategy yields unexpected &mdashh; and unwanted — success in a fair coin gambling which is simulated by a recently ...

Keywords: correlation analysis, discarding, empirical tests, gambling test, pseudorandom number generator, tempering

Fast random number generators based on linear recurrences modulo 2: overview and comparison

Pierre L'Ecuyer, François Panneton

KB)

December WSC '05: Proceedings of the 37th conference on Winter simulation

2005

Publisher: Winter Simulation Conference

Full text available: pdf(190.26

Additional Information: full citation, abstract, references

Bibliometrics: Downloads (6 Weeks): 3, Downloads (12 Months): 70, Citation Count: 0

Random number generators based on linear recurrences modulo 2 are among the fastest long-period generators currently available. The uniformity and independence of the points they produce, over their entire period length, can be measured by theoretical ...

Uniform random number generators

Pierre L'Ecuyer

December 1998 WSC '98: Proceedings of the 30th conference on Winter simulation

Publisher: IEEE Computer Society Press

Full text available: pdf(101.99

Additional Information: full citation, references, cited by, index terms

KB)

Bibliometrics: Downloads (6 Weeks): 11, Downloads (12 Months): 97, Citation Count: 3

Pseudorandom number generation on the GPU



M. Sussman, W. Crutchfield, M. Papakipos

GH '06: Proceedings of the 21st ACM SIGGRAPH/Eurographics September

2006 symposium on Graphics hardware

Publisher: ACM

Full text available: Publisher

Site

Additional Information: full citation, abstract, references, index terms

Bibliometrics: Downloads (6 Weeks): n/a, Downloads (12 Months): n/a, Citation Count: 0

Statistical algorithms such as Monte Carlo integration are good candidates to run on graphics processing units. The heart of these algorithms is random number generation, which generally has been done on the CPU. In this paper we present GPU implementations ...

5 Uniform random number generators: a review

Pierre L'Ecuyer

December WSC '97: Proceedings of the 29th conference on Winter

1997 simulation

Publisher: IEEE Computer Society

Full text available: pdf(927.24

Additional Information: <u>full citation</u>, <u>references</u>, <u>index terms</u>

Bibliometrics: Downloads (6 Weeks): 4, Downloads (12 Months): 93, Citation Count: 0

6 Random numbers for simulation

Pierre L'Ecuyer

October 1990 Communications of the ACM, Volume 33 Issue 10

Publisher: ACM

Full text available: pdf(2.82 Additional Information: full citation, abstract, references, cited by, index

MB) terms, review

Bibliometrics: Downloads (6 Weeks): 9, Downloads (12 Months): 119, Citation Count: 21

In the mind of the average computer user, the problem of generating uniform variates by computer has been solved long ago. After all, every computer :system offers one or more function(s) to do so. Many software products, like compilers, spreadsheets, ...

7 Some linear and nonlinear methods for pseudorandom number generation

Harald Niederreiter

December 1995 WSC '95: Proceedings of the 27th conference on Winter simulation

Publisher: IEEE Computer Society

Full text available: pdf(390.20 Additional Information: full citation, abstract, references, cited by, index terms

Bibliometrics: Downloads (6 Weeks): 1, Downloads (12 Months): 20, Citation Count: 1

Two principal classes of methods for the generation of uniform pseudorandom numbers can nowadays be distinguished, namely linear and nonlinear methods, and contributions to both types of methods are presented. A very general linear method, the multiple-recursive ...

8 On the xorshift random number generators

F

François Panneton, Pierre L'ecuyer

October ACM Transactions on Modeling and Computer Simulation (TOMACS),

2005 Volume 15 Issue 4

Publisher: ACM

Full text available: pdf(193.79 Additional Information: full citation, abstract, references, cited by,

KB) index terms

Bibliometrics: Downloads (6 Weeks): 6, Downloads (12 Months): 114, Citation Count: 2

G. Marsaglia recently introduced a class of very fast *xorshift* random number generators, whose implementation uses three "xorshift" operations. They belong to a large family of generators based on linear recurrences modulo 2, which ...

Keywords: Random number generation, linear feedback shift register, linear recurrence modulo 2, xorshift

9 Mersenne twister: a 623-dimensionally equidistributed uniform pseudo-random



number generator

Makoto Matsumoto, Takuji Nishimura

January ACM Transactions on Modeling and Computer Simulation (TOMACS),

1998 Volume 8 Issue 1

Publisher: ACM

Full text available: pdf(247.73 Additional Information: full citation, abstract, references, cited by,

(B) index terms

Bibliometrics: Downloads (6 Weeks): 61, Downloads (12 Months): 621, Citation Count: 67

A new algorithm called Mersenne Twister (MT) is proposed for generating uniform pseudorandom numbers. For a particular choice of parameters, the algorithm provides a super astronomical period of 219937 –1 and 623-dimensional ...

Keywords: k-distribution, m-sequences, GFSR, MT19937, Mersenne primes, Mersenne twister, TGFSR, finite fields, incomplete array, inversive-decimation method, multiple-recursive matrix method, primitive polynomials, random number generation, tempering

10 TestU01: A C library for empirical testing of random number generators

Pie

Pierre L'Ecuyer, Richard Simard

August ACM Transactions on Mathematical Software (TOMS), Volume 33

2007 Issue 4 **Publisher:** ACM

Tublisher. AOM

Full text available: pdf(801.63

KB)

Additional Information: full citation, abstract, references, index terms

Bibliometrics: Downloads (6 Weeks): 23, Downloads (12 Months): 361, Citation Count: 0

We introduce *TestU01*, a software library implemented in the ANSI C language, and offering a collection of utilities for the empirical statistical testing of uniform random number generators (RNGs). It provides general implementations of the classical ...

Keywords: Statistical software, random number generators, random number tests, statistical test

11 Tables of 64-bit Mersenne twisters



Takuji Nishimura

October ACM Transactions on Modeling and Computer Simulation (TOMACS),

2000 Volume 10 Issue 4

Publisher: ACM

Full text available: pdf(79.56 Additional Information: full citation, abstract, references, cited by,

B) index terms

Bibliometrics: Downloads (6 Weeks): 6, Downloads (12 Months): 37, Citation Count: 3

We give new parameters for a Mersenne Twister pseudorandom number gene rator for 64-bit word machines.

Keywords: 64-bit, k-distribution, Mersenne Twister, finite fields, linear recurrence, random rumber generation

12 Algorithm 806: SPRNG: a scalable library for pseudorandom number generation



Michael Mascagni, Ashok Srinivasan

September ACM Transactions on Mathematical Software (TOMS), Volume 26

2000 Issue 3

Publisher: ACM

Full text available: pdf(158.69 Additional Information: full citation, appendices and supplements,

(B) <u>abstract, references, cited by, index terms</u>

Bibliometrics: Downloads (6 Weeks): 11, Downloads (12 Months): 229, Citation Count: 9

In this article we present background, rationale, and a description of the Scalable Parallel Random Number Generators (SPRNG) library. We begin by presenting some methods for parallel pseudorandom number generation. We will focus on methods based on ...

Keywords: lagged-Fibonacci generator, linear congruential generator, parallel random-number generators, random-number software, random-number tests

13 Improved long-period generators based on linear recurrences modulo 2

۸

François Panneton, Pierre L'Ecuyer, Makoto Matsumoto

March ACM Transactions on Mathematical Software (TOMS), Volume 32 Issue

2006 1 Publisher: ACM

Full text available: pdf(302.66 Additional Information: full citation, abstract, references, cited by,

KB) index terms

Bibliometrics: Downloads (6 Weeks): 17, Downloads (12 Months): 92, Citation Count: 3

Fast uniform random number generators with extremely long periods have been defined and implemented based on linear recurrences modulo 2. The twisted GFSR and the Mersenne twister are famous recent examples. Besides the period length, the statistical ...

Keywords: GFSR linear recurrence modulo 2, Mersenne twister, Random number generation, linear feedback shift register

14 A tutorial on uniform variate generation



P. L'Ecuyer

October 1989 WSC '89: Proceedings of the 21st conference on Winter simulation

Publisher: ACM

Full text available: pdf(777.59 Additional Information: full citation, abstract, references, cited by, index terms

Bibliometrics: Downloads (6 Weeks): 6, Downloads (12 Months): 37, Citation Count: 3

In typical stochastic simulations, randomness is produced by generating a sequence of independent uniform variates (usually real-valued between 0 and 1, or integer-valued in some interval) and transforming them in the appropriate way. In this tutorial, ...

KB)

15 VV&A; IV: validation of trace-driven simulation models: more on bootstrap tests

Jack P. C. Kleijnen, Russell C. H. Cheng, Bert Bettonvil

December WSC '00: Proceedings of the 32nd conference on Winter simulation

2000

Publisher: Society for Computer Simulation International

Full text available: pdf(331.46 Additional Information: full citation, abstract, references, cited by

Bibliometrics: Downloads (6 Weeks): 1, Downloads (12 Months): 16, Citation Count: 3

'Trace-driven' or 'correlated inspection' simulation means that the simulated and the real systems have some common inputs (say, arrival times) so the two systems' outputs are cross-correlated. To validate such simulation models, this paper formulates ...

16 Simulation 101 software: workshop and beyond

Barry Lawson, Lawrence Leemis

December WSC '07: Proceedings of the 39th conference on Winter simulation: 40

2007 years! The best is yet to come

Publisher: IEEE Press

Full text available: pdf(129.66 KB) Additional Information: full citation, abstract, references

Bibliometrics: Downloads (6 Weeks): 7, Downloads (12 Months): 7, Citation Count: 0

The C source code associated with the Simulation 101 pre-conference workshop (offered at the 2006 and 2007 Winter Simulation Conferences) is presented here. This paper begins with general instructions for downloading, compiling, and executing the software. ...

17 The Push3 execution stack and the evolution of control



Lee Spector, Jon Klein, Maarten Keijzer

June GECCO '05: Proceedings of the 2005 conference on Genetic and evolutionary

2005 computation

Publisher: ACM

Full text available: pdf(145.94 KB) Additional Information: full citation, abstract, references, index terms

Bibliometrics: Downloads (6 Weeks): 1, Downloads (12 Months): 32, Citation Count: 2

The Push programming language was developed for use in genetic and evolutionary computation systems, as the representation within which evolving programs are expressed. It has been used in the production of several significant results, including results ...

Keywords: Fibonacci sequence, combinators, exponentiation, factorial, iteration, parity, push, recursion, reversing a list, sorting, stack-based genetic programming

18 Quasi-Monte Carlo methods in finance

Pierre L'Ecuyer

December 2004 WSC '04: Proceedings of the 36th conference on Winter simulation Publisher: Winter Simulation Conference

Full text available: pdf(237.49

Additional Information: full citation, abstract, references, cited by

Bibliometrics: Downloads (6 Weeks): 7, Downloads (12 Months): 95, Citation Count: 4

We review the basic principles of Quasi-Monte Carlo (QMC) methods, the randomizations that turn them into variance-reduction techniques, and the main classes of constructions underlying their implementations: lattice rules, digital nets, and permutations ...

19 Monkeys, gambling, and return times: assessing pseudorandomness

Stefan Wegenkittl

December WSC '99: Proceedings of the 31st conference on Winter 1999 simulation: Simulation---a bridge to the future - Volume 1,

Volume 1

Publisher: ACM

Full text available: pdf(78.93

Additional Information: full citation, references, cited by, index terms

KB)

Bibliometrics: Downloads (6 Weeks): 0, Downloads (12 Months): 16, Citation Count: 1

20 Jackknife estimators for reducing bias in asset allocation

Amit Partani, David P. Morton, Ivilina Popova

December 2006 WSC '06: Proceedings of the 38th conference on Winter simulation

Publisher: Winter Simulation Conference

KB)

Full text available: pdf(204.24

Additional Information: full citation, abstract, references

Bibliometrics: Downloads (6 Weeks): 1, Downloads (12 Months): 33, Citation Count: 0

We use jackknife-based estimators to reduce bias when estimating the optimal value of a stochastic program. Our discussion focuses on an asset allocation model with a power utility function. As we will describe, estimating the optimal value of such a ...

Results 1 - 20 of 22 Result page: 1 2 next

The ACM Portal is published by the Association

for Computing Machinery. Copyright © 2008 ACM, Inc.

Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat QuickTime Windows Media Player Real Player